

Available online at www.sciencedirect.com

ScienceDirect

journal homepage: www.ajgponline.org

Invited Perspective

Human Rights to Inclusive Living and Care for Older People With Mental Health Conditions

Hilde Verbeek, Ph.D., Carmelle Peisah, M.B.B.S. (Hons), M.D., Carlos Augusto de Mendonca Lima, Ph.D., Kiran Rabheru, M.D., Ph.D., Liat Ayalon, Ph.D.

ARTICLE INFO

Article history:

Received May, 19 2021

Revised May, 27 2021

Accepted May, 28 2021

Key Words:

Long-term care
environmental design
housing with care
quality of life
dementia

ABSTRACT

Although older persons wish to age at home, many older persons with mental health conditions and psychosocial disability (MHC-PSD) spend the last few years of their life in residential facilities. This paper will examine the impact of ageism and human rights violations manifested in environmental design, specifically regarding social isolation, loneliness, inadequate psychosocial, environmental, recreational and spiritual support. This is compounded by failure to meet basic care needs-nutrition, hydration, pain and medication support. This paper highlights two innovative initiatives from the Netherlands, which show that older persons' rights can be maintained in innovative, collective living arrangements. It is concluded that the creation of inclusive and safe environments for older persons with MHC-PSD can facilitate the enjoyment of Human Rights. (Am J Geriatr Psychiatry 2021; ■■■:■■■-■■■)

Highlights

- This paper presents a human-rights based approach toward inclusive housing with care arrangements for older persons with mental health conditions and psychosocial disability (MHC-PSD)
- Green care farms and a community-based model of housing with care (Livv-Inn) are presented as care alternatives that fulfill the human-rights of older persons to a better extent than traditional care settings. They are focused on key values such as reciprocity, building on remaining strengths and capacities, dignity and fostering inclusion and participation within the broader social context.

From the Maastricht University, Care and Public Health Research Institute, Dept. of Health Services Research, MD Maastricht the Netherlands. Send correspondence and reprint requests to Hilde Verbeek, Maastricht University, Care and Public Health Research Institute, Dept. of Health Services Research, PO Box 616, 6200 MD Maastricht the Netherlands e-mail: h.verbeek@maastrichtuniversity.nl

© 2021 American Association for Geriatric Psychiatry. Published by Elsevier Inc. All rights reserved.

<https://doi.org/10.1016/j.jagp.2021.05.023>

- These innovative forms of collective living arrangements are promising as they support the human rights of older persons, are inclusive and use a neighborhood approach to long-term care.

INTRODUCTION

Human rights are at the heart of the push for the provision of inclusive physical and social living for older people.^{1,2} Inclusive policies, structures and services aim to enable older persons to live in security, enjoy good health and continue to participate fully in society.^{1,3} Although most older persons wish to age in place at home, this is not always feasible and residential care may be required as care needs increase. The Universal Declaration of Human Rights refers to several environmental design principles, with the goal of promoting dignity (article 1), liberty and security (article 3), privacy (article 12), freedom of movement (article 13), access to own property (article 17), a standard of living adequate for health and well-being, including food, housing, medical and social services (article 25) and access to participation in community life (article 27).^{4,5} Key human rights articulated in the United Nations Convention on the Rights of Persons with Disabilities relevant to older people with mental health conditions include autonomy, respect for will and preferences, family and relationships, and access to the highest attainable standard of healthcare, including meeting needs arising on account of disability.⁶ Older persons with mental health conditions and psychosocial disabilities (MHC-PSD), are subsumed within the Convention on the Rights of Persons with Disabilities and therefore have full entitlement to all the rights the Convention enshrines.⁷ Though, in practice we see violation of these rights, exacerbated by the coronavirus disease 2019 crisis, especially for older persons living with dementia.^{8–11} This paper aims to identify gaps in knowledge using a human rights approach toward environmental design for older persons with MHC-PSD and presents recent examples of alternative care settings that promote human rights and inclusive housing with care.

The residential and care environment is a critical determinant of the extent that the human rights of older persons are respected, especially those with

MHC-PSD, and particularly those living with dementia. The individual person's autonomy, independence, choices and preferences must be consonant with their care needs, their abilities and environmental demands to support everyday functioning, also referred to as person–environment fit.¹² Although most older persons wish to age in place,¹³ this is not always the case. Having a mental health condition, such as dementia, serves as a particular risk for placement in a residential setting.¹⁴ The care environment consists of physical (built environment, outdoor areas, interior design, sensory elements), social (interactions with others including residents, staff, family, friends, the wider community); and organizational components including care service delivery and culture (values, expectations, attitudes that guide staff's behavior in care settings).¹⁵ Individual physical and social environmental components impact residents' daily life and influence onset and manifestation of neuropsychiatric symptoms.^{16–18} Furthermore, the built environment contributes to a sense of home.¹⁹ Consistently, organization components also play a major role in older persons' health and well-being and have become particularly prominent during the recent pandemic.⁹

Current evidence indicates that traditional residential care settings are overall not effective in supporting everyday functioning and may even be harmful.^{20,21} These are typically large-scale buildings, in which residents are segregated and confined within the residence, separated from the community at large and often from other residents as well.¹¹ Environmental restraints are put in place, such as locked doors and fences. This negatively impacts the emotional safety with feelings of displacement, sense of imprisonment and social isolation.^{7,22,23} These traditional, large-scale care environments have been associated with poor outcomes for residents with dementia, including inactivity,^{24,25} high levels of agitation, depression and other neuropsychiatric symptoms,^{26,27} use of physical restraint,²⁸ high levels of psychotropic drugs,²⁹ loneliness, and stigmatization.^{30,31} Organizational

routines in traditional residential care settings can be rigid, with little opportunities for residents for autonomy or engagement.^{32,33} During the coronavirus disease 2019 pandemic, these outcomes have even worsened.^{9,34,35}

Congruence is needed between the different environmental components (physical, social and organizational), in order to promote well-being and adapted behaviors for residents with dementia and their caregivers.¹⁵ Often, this is difficult to accomplish within existing traditional care environments as a cultural change is needed.^{36,37} This paper highlights two examples of radical redesign of care environments in the Netherlands, that have implemented a human rights-based approach to residential long-term care.

GREEN CARE FARMING

Originated outside the healthcare sector, green care farms combine agricultural with care activities and aim to enable independence and participation of clients for as long as possible.^{38,39} Green care farms are a widely adopted way in an increasing number of countries, providing day care or respite care for a variety of clients including older persons with MHC-PSD.³⁸ Green care farming has adopted an environmental approach to care, which supports human rights of older persons with MHC-PSD, especially related to dignity, freedom, and individuality. The Netherlands is leading in designing green care farms with 24-hour care services as alternative to traditional nursing homes.⁴⁰ Physical environmental components (e.g., animals, plants, natural elements) offer many opportunities to incorporate meaningful activities into daily care practices. Residents can move more freely and have more control over their daily life than in traditional residential care as they can participate in outdoor, domestic, work-related, and other activities. Farmers transfer their care philosophy to staff, by acting as a role model, often showing clinical leadership.^{38,41} Staff is selected based on competencies that support the individual green care farm vision and are continuously guided in providing tailor-made care, altering the residents' social environment.⁴¹

Preliminary empirical evidence regarding the efficacy and value of green care farms suggests a positive impact on older persons, especially related to the

human rights domains. For example, persons living with dementia valued their social participation as higher on green care farms compared with traditional day care.⁴² They favored being in a normal life setting rather than a care environment, increasing their sense of making meaningful contributions to society. Furthermore, residents of green care farms were more active, more socially engaged and ventured outdoors more often in comparison with residents of traditional nursing homes.^{40,43} Time outdoors is an important outcome as it correlated with well-being.⁴⁴ The person-centered approach was highly appreciated by informal caregivers and mostly influenced their choice for transition toward a green care farm over traditional nursing home.^{45,46} Quality of care indicators such as falls, antipsychotics, pressure ulcers, resident/staff ratio and protocols were comparable with other care settings.⁴⁷

COMMUNITY MODELS

Internationally, there are important examples of how innovative and inclusive care environments can be developed in both rural and urbanized areas.^{1,48,49} Using a human rights-based approach, they are embedded within the local community to foster inclusion, equity, and dignity for residents. In the Netherlands, social housing association Habion is at the forefront in developing innovative housing for older persons with care and support services. Adopting a human rights-based design approach, Habion aims to provide a living experience for residents, rather than just accommodation and shelter.⁴⁹ If residents' needs change over time, and they become increasingly dependent, the goal of Habion is to maintain the value, flexibility and atmosphere of the living environment. They have developed a specific method to fulfill this process and include the local community: the Røring method.⁴⁹ A current example in which this method has been applied is the Liv Inn project (livinn.nl), a former assisted living facility redesigned into a new setting for a variety of groups, including older and younger persons, with and without MHC-PSD. Residents are in charge of the building and care they would like to receive and the local community together with the residents make the setting as a home. This type of redesign takes time and develops gradually in interaction with persons

Human Rights to Inclusive Living and Care for Older People With Mental Health

who deem independence, security and their self-identity, choice and memories essential.^{49–51} The Røring method facilitates interested actors and residents to be motivated and enthusiastic, while maintaining inclusivity in its nature.

FURTHER DIRECTIONS

There is an urgent need for the development and design of inclusive care environments, in which older persons with MHC-PSD can be supported to enjoy their human rights. Although most older persons wish to age at home, as their conditions deteriorate this is not always feasible or desirable for all.⁵² Alternatives including collective living arrangements and residential care, are necessary. Evidence on the effects of small-scale, homelike care models as presented in this paper are inconclusive as only few studies have been conducted.^{53,54} Some suggest positive indications for example less psychotropic drugs and more social interaction,^{54,55} while no overall effects on quality of life or functional status could be shown.^{53,56} None found small-scale, homelike environment worse than regular care, which may suggest this to be the preferred option when available.

More evidence-based knowledge is highly needed to develop innovative housing with care strategies, interventions and programs, preventing ageism,

and incorporating intergenerational approaches. The physical, social, and organizational components of long-term care play a major role in ensuring the human rights of older persons with MHC-PSD. First insights indicate that findings of innovative human-rights based approaches can be transferred to regular long-term care services as well.^{57,58} We need to overcome the current strict separation between long-term care at home and residential care facilities, with opportunities to create a new, neighborhood perspective to care and being inclusive to all. Innovative, collective living approaches may be developed to accomplish this. Furthermore, the use of technology (e.g., wearables, sensors) and AI-driven approaches may help enable more freedom to support autonomy of older persons living with MHC-PSD. In this way, inclusive living becomes available for all.

AUTHOR CONTRIBUTION

HV drafted the manuscript. All authors contributed to, read, and approved the final manuscript.

DISCLOSURES

The authors declare no conflict of interest.

No funding for this research was obtained.

References

- van Hoof J, Marston H: Age-friendly cities and communities: state of the art and future perspectives. *Int J Environ Res Public Health* 2021; 18:1644
- World Health Organization: *The Global Network for Age-Friendly Cities and Communities: Looking Back over the Last Decade, Looking forward to the Next*. Geneva, Switzerland: World Health Organization, 2018
- Mahmood A, Keating N: Towards inclusive built environments for older adults. In: Sharf T, Keating N, eds. *From Exclusion to Inclusion in Old Age: A Global Challenge*, 2012.
- Charras K, Eynard C, Viatour G: Use of space and human rights: planning dementia friendly settings. *J Gerontol Soc Work* 2016; 59:181–204
- Wisdem. (2011). *Dementia and environmental design discussion paper*. Available at: www.wisdem.org
- Peisah C, Byrnes A, Doron I, et al: Advocacy for the human rights of older people in the COVID pandemic and beyond: a call to mental health professionals. *Int Psychogeriatric* 2020; 32:10
- Cahill S: *Dementia and Human Rights*. Bristol: British Policy Press, 2018
- Giebel C, Hanna K, Tetlow H, et al: "A piece of paper is not the same as having someone to talk to": accessing post-diagnostic dementia care before and since COVID-19 and associated inequalities. *Int J Equity Health* 2021; 20:76
- Ayalon L, Sharon A: 'We have become prisoners of our own age': from a continuing care retirement community to a total institution in the midst of the COVID-19 outbreak. *Age Ageing* 2021; afab013;doi:10.1093/ageing/afab013
- Steele L, Swaffer K, Carr R, et al: Ending confinement and segregation: barriers to realising human rights in the everyday lives of people living with dementia in residential aged care. *Austr J Human Rights* 2020; 26:308–328
- Steele L, Swaffer K, Phillipson L, et al: Questioning segregation of people living with dementia in Australia: an international human rights approach to care homes. *Laws* 2019; 8:18
- Lawton MP, Nahemow L: *Ecology and the Aging Process*. 1973
- Kendig H, Honge Gong C, Cannon L, et al: Preferences and predictors of aging in place: longitudinal evidence from Melbourne, Australia. *J Housing Elderly* 2017; 31:259–271
- Von Bonsdorff M, Rantanen T, Laukkanen P, et al: Mobility limitations and cognitive deficits as predictors of institutionalization

- among community-dwelling older people. *Gerontology* 2006; 52:359–365
15. De Boer B, Bozdemir B, Jansen J, et al: The homestead: developing a conceptual framework through co-creation for innovating long-term dementia care environments. *Int J Environ Res Public Health* 2021; 18:57
 16. Fleming R, Purandare N: Long-term care for people with dementia: environmental design guidelines. *Int Psychogeriatr* 2010; 22:1084–1096
 17. Chaudhury H, Cooke H, Cowie H, et al: The influence of the physical environment on residents with dementia in long-term care settings: a review of the empirical literature. *Gerontologist* 2017; 58:325–337
 18. Fleming R, Goodenough B, Low LF, et al: The relationship between the quality of the built environment and the quality of life of people with dementia in residential care. *Dementia* 2016; 15:663–680
 19. Eijkelenboom A, Verbeek H, Felix E, et al: Architectural factors influencing the sense of home in nursing homes: an operationalization for practice. *Front Archit Res* 2017; 6:111–122
 20. OECD/European Commission: *A Good Life in Old Age? Monitoring and Improving Quality in Long-term Care*. OECD Health Policy Studies, OECD Publishing, 2013
 21. Eckermann S, Phillipson L, Fleming R: Re-design of aged care environments is key to improved care quality and cost-effective reform of aged and health system care. *Appl Health Econ Health Policy* 2019; 17:127–130
 22. Dreyfus S, Phillipson L, Fleming R: Staff and family attitudes to fences as a means of detaining people with dementia in residential aged care settings: the tension between physical and emotional safety. *Austr J Soc Issues* 2019; 53:107–108
 23. McSherry B: Locked mental health wards: the answer to absconding? *J Law Med* 2014; 22:17–21
 24. Tenback DE, Van Kessel F, Jessurun J, et al: Risk factors for inactivity in patients in long-term care with severe mental illness. *Tijdschr Psychiatr* 2013; 55:83–91
 25. de Ouden M, Bleijlevens MC, Meijers JMM, et al: Daily (in)activities of nursing home residents in their wards: an observation study. *J Am Med Dir Assoc* 2015; 16:963–968
 26. Björk S, Juthberg C, Lindkvist M, et al: Exploring the prevalence and variance of cognitive impairment, pain, neuropsychiatric symptoms and ADL dependency among persons living in nursing homes; a cross-sectional study. *BMC Geriatr* 2016; 16:154
 27. Zimmerman S, Anderson WL, Brode S, et al: Systematic review: effective characteristics of nursing homes and other residential long-term care settings for people with dementia. *J Am Ger Soc* 2013; 61:1399–1409
 28. Blasco J, Igual-Camacho C, Pérez-Moltó F, et al: Use of physical restraint in nursing homes in Spain and relation with resident characteristics: a retrospective multi-centre cohort study with a self-organised maps approach. *Ageing Soc* 2019; 40:1–19
 29. Ferreira AR, Simões MR, Moreira E, et al: Modifiable factors associated with neuropsychiatric symptoms in nursing homes: the impact of unmet needs and psychotropic drugs. *Arch Gerontol Geriatr* 2020:103919;doi:10.1016/j.archger.2019.103919, doi.org/
 30. Victor CR: Loneliness in care homes: a neglected area of research? *Aging Health* 2020; 8:637–646
 31. Ayalon L, Lev S, Green O, et al: A systematic review and meta-analysis of interventions designed to prevent or stop elder maltreatment. *Age Ageing* 2016; 45:216–227
 32. De Boer B, Beerens HC, Katterbach MA, et al: The physical environment of nursing homes for people with dementia: traditional nursing homes, small-scale living facilities, and green care farms. *Healthcare* 2018; 6:137
 33. Topo P, Kotilainen H, Eloniemi-Sulkava U: Affordances of the care environment for people with dementia—an assessment study. *HERD* 2012; 5:118–138
 34. Ayalon L, Zisberg A, Cohn-Schwartz E, et al: Long-term care settings in the times of COVID-19: challenges and future directions. *Int Psychogeriatr* 2020; 32:1239–1243
 35. Bethell J, Aelick K, Babineau J, et al: Social connection in long-term care homes: a scoping review of published research on the mental health impacts and potential strategies during COVID-19. *J Am Med Dir Assoc* 2021; 22:228–237
 36. Kim SK, Park M: Effectiveness of person-centered care on people with dementia: a systematic review and meta-analysis. *Clin Interv Aging* 2017; 12:381
 37. Villar F, Serrat R: Changing the culture of long-term care through narrative care: individual, interpersonal, and institutional dimensions. *J Aging Stud* 2017; 40:44–48
 38. de Bruin SR, Pedersen I, Eriksen S, et al: Care farming for people with dementia; what can healthcare leaders learn from this innovative care concept? *J Healthc Leadersh* 2020; 12:11–18
 39. Hassink J, Van Dijk M: *Farming for Health: Green-Care Farming Across Europe and the United States of America*. Berlin/Heidelberg, Germany: Springer, 2006
 40. de Boer B, Hamers JPH, Zwakhalen SMG, et al: Green care farms as innovative nursing homes, promoting activities and social interaction for people with dementia. *J Am Med Dir Assoc* 2017; 18:40–46
 41. de Bruin SR, de Boer B, Beerens HC, et al: Rethinking dementia care: the value of green care farming. *J Am Med Dir Assoc* 2017; 18:200–203
 42. de Bruin SR, Stoop A, Molema CCM, et al: Green care farms: an innovative type of adult day service to stimulate social participation of people with dementia. *Gerontol Geriatr Med* 2015; 1–10;doi:10.1177/2333721415607833
 43. Finnanger Garshol B, Ellingsen-Dalskau LH, Pedersen I: Physical activity in people with dementia attending farm-based dementia day care—a comparative actigraphy study. *BMC Geriatr* 2020; 20:219
 44. Beerens HC, Zwakhalen SMG, Verbeek H, et al: The relation between mood, activity, and interaction in long-term dementia care. *Aging Ment Health* 2018; 22:26–32
 45. de Boer B, Verbeek H, Zwakhalen SMG, et al: Experiences of family caregivers in green care farms and other nursing home environments for people with dementia: a qualitative study. *BMC Geriatr* 2019; 19:149
 46. Myren G, Enmarker I, Hellzen O: Relatives' experiences of everyday life when receiving day care services for persons with dementia living at home—"It's good for her and its good for us". *Health* 2013; 5:1227–1235
 47. de Boer B, Hamers JPH, Zwakhalen SMG, Tan FES, Verbeek H: Quality of care and quality of life of people with dementia living at green care farms: a cross-sectional study. *BMC Geriatr* 2017; 17:155
 48. Fleming R, Zeisel J, Bennet K. *World Alzheimer's Report 2020. Design, Dignity, Dementia: Dementia-related design and the built environment*. Alzheimer's Disease International: London, UK.
 49. Van Hoof J, Boerenfijn P, Beneken genaamd Kolmer D, et al: Environmental design for an ageing population. In: Phelan A, O'Shea D, eds. *Changing Horizons in the 21st Century: Perspectives on Ageing*, Cambridge Scholars, 2020

Human Rights to Inclusive Living and Care for Older People With Mental Health

50. Molony S: The meaning of home. A qualitative metasynthesis. *Res Gerontol Nurs* 2010; 3:291–307
51. Rijnaard MD, van Hoof J, Janssen BM, et al: The factors influencing the sense of home in nursing homes: a systematic review from the perspective of residents. *J Aging Res* 2016; 6143–6645; doi:10.1155/2016/6143645
52. Sorinmade O, Peisah C, Jackman J: Remaining at home with dementia: not 'one size fits all'. *BJ Psych Bull* 2018
53. Ausserhofer D, Deschodt M, De Geest S, et al: "There's no place like home": a scoping review on the impact of homelike residential care models on resident-, family-, and staff-related outcomes. *J Am Med Dir Assoc* 2016; 17:685–693
54. Kortnick KN: An ecological framework to support small-scale shared housing for persons with neurocognitive disorders of the Alzheimer's and related types: a literature review. *Hong Kong J Occup Ther* 2017; 29:26–38
55. Verbeek H, Zwakhalen SMG, van Rossum HJL, et al: Effects of small-scale, home-like facilities in dementia care on residents' behavior, and use of physical restraints and psychotropic drugs: a quasi-experimental study. *Int Psychogeriatr* 2014; 56:657–668
56. Verbeek H, Zwakhalen SMG, van Rossum HJL, et al: Dementia care redesigned: a quasi-experimental study into the effects of small-scale living facilities on residents, their family caregivers and staff. *J Am Med Dir Assoc* 2010; 11:662–670
57. Buist Y, Verbeek H, de Boer B, et al: Innovating dementia care; implementing characteristics of green care farms in other long-term care settings. *Int Psychogeriatr* 2018; 30:1057–1068
58. Rusinovic KM, van Bochoven ME, Koops-Boelaars S, et al: Towards responsible rebellion: how founders deal with challenges in establishing and governing innovative living arrangements for older people. *Int J Environ Res Public Health* 2020; 17:6235